

SEALPROOF®

WEATHERPROOF

Rev. 2026 · 11/26

Contents

CONDUIT PRODUCTS 3

Electrical Nonmetallic Tubing (ENT) 4
ENT Fittings & Stubbies 5
HDPE Innerduct 6

WEATHERPROOF PRODUCTS

EXTRA DUTY WHILE-IN-USE COVERS 7

1 Gang Extra Duty Plastic In-Use Covers 8
2 Gang Extra Duty Plastic In-Use Covers 9
1 & 2 Gang Plastic Covers 10
Extra Duty Plastic Slim While-In-Use Covers 11
Extra Duty Metal In-Use Covers 12

DIE CAST BOXES & COVERS 13

Metal Flat Covers 14–15
Blank Covers 16
1 Gang Rectangular Outlet Boxes 17
1 Gang Rectangular Deep Outlet Boxes 18
2 Gang Rectangular Outlet Boxes 19–20
3 Gang & Round Outlet Boxes 21
Outlet Box Extensions 22
Lampholder Covers 23
Lampholders & Metal Closure Plugs 24
Fan Braces 25

WEATHERPROOF PRODUCTS (CONT.)

PLASTIC BOXES & COVERS 26

Plastic Weatherproof Outlet Boxes 27
Plastic Weatherproof Blank Covers 28
Plastic Weatherproof Device Covers 29
Plastic Lampholders & Lampholder Covers 30

LIQUID-TIGHT CONNECTORS 31

Nonmetallic Liquid Tight Straight Conduit Connectors 32
Nonmetallic Liquid Tight 90° Conduit Connectors 33
Nonmetallic Liquid Tight Screw-On Conduit Connectors 34
Nonmetallic LT Multi-Angle Conduit Connectors 35
Metallic Liquid Tight Straight Conduit Connectors 36
Metallic Liquid Tight 90° Conduit Connectors 37

CONDUIT BODIES 38

LB / LC / LL Series 39
LR / LT / SLB Series 40

ROUGH-IN HARDWARE — MAKE FREIGHT 41

Box Bar Hangers & MC/AC Snap-In Connectors 42

REFERENCE & ORDERING 43

Carton Weights & UPC Codes 44–51
About Superflex 52

Electrical nonmetallic tubing, fittings & HDPE innerduct

Electrical Nonmetallic Tubing (ENT)

ENT Fittings & Stubbies

HDPE Innerduct

Electrical Nonmetallic Tubing (ENT)

MADE IN USA

c UL us LISTED FILE No. E530821

- Available 1/2" through 2"
- All sizes FT4 rated
- Compatible with any UL approved ENT fittings
- Durable, nonconducting rigid PVC compound
- Corrugated wall bends by hand — no heat, tools or benders
- Standard color — Gray
- Suitable for concrete encasement, direct burial, walls and ceilings per NEC Article 362





Trade Size	Coil Part No.	Coil Length	Reel Part No.	Reel Dims.	Reel Length	10' Stick Part	Sticks/Crate
1/2"	ENT050	200'	ENT050R-1500	36" × 24"	1,500'	ENT050-10	1,200'/Crate
3/4"	ENT075	100'	ENT075R-1000	36" × 24"	1,000'	ENT075-10	750'/Crate
1"	ENT100	100'	ENT100R-750	36" × 24"	750'	ENT100-10	500'/Crate
1-1/4"	—	—	ENT125R-1000	48" × 32"	1,000'	—	—
1-1/2"	—	—	ENT150R-750	48" × 32"	750'	—	—
2"	—	—	ENT200R-500	48" × 32"	500'	—	—

Dimensions: inches, per the UL / CSA size table for ENT.

Trade Size	Metric	O.D. Min.	O.D. Max.	I.D. Min.	I.D. Max.
1/2"	16	0.832"	0.848"	0.574"	0.630"
3/4"	21	1.040"	1.060"	0.774"	0.834"
1"	27	1.305"	1.325"	0.999"	1.059"
1-1/4"	35	1.648"	1.672"	1.328"	1.392"
1-1/2"	41	1.888"	1.912"	1.558"	1.622"
2"	53	2.363"	2.387"	2.015"	2.079"

ENT Fittings & Stubbies

- Full Range for 1/2" through 1-1/4" ENT
- Snap-In Design — No Cement or Threading
- Terminal Adapters Supplied with Locknut
- Couplings Join Two Lengths in One Push
- Stubbies Transition Straight or 45°
- Rigid PVC Construction, Color Gray
- Compatible with Any UL Approved ENT
- Bulk Packed — Pack Quantities Below
- Sizes Above 1-1/4" — Contact Us







Item No.	Description	Trade Size	Pack Qty	UPC
THREADED TERMINAL ADAPTERS — WITH LOCKNUT				
ENTADPLN050	1/2" Threaded Terminal Adapter w/ Locknut	1/2"	150	658746305158
ENTADPLN075	3/4" Threaded Terminal Adapter w/ Locknut	3/4"	100	658746305165
ENTADPLN100	1" Threaded Terminal Adapter w/ Locknut	1"	50	658746305172
SNAP-IN ADAPTERS				
ENTADPSN050	1/2" Snap-In Adapter	1/2"	150	658746305189
ENTADPSN075	3/4" Snap-In Adapter	3/4"	100	658746305196
ENTADPSN100	1" Snap-In Adapter	1"	50	658746305202
COUPLINGS				
ENTCPL050	1/2" ENT Coupling	1/2"	150	658746305219
ENTCPL075	3/4" ENT Coupling	3/4"	100	658746305226
ENTCPL100	1" ENT Coupling	1"	50	658746305233
STUBBIES — STRAIGHT				
ENTSTBST050	1/2" Stubbie, Straight	1/2"	150	658746305240
ENTSTBST075	3/4" Stubbie, Straight	3/4"	150	658746305257
ENTSTBST100	1" Stubbie, Straight	1"	200	658746305264
ENTSTBST125	1-1/4" Stubbie, Straight	1-1/4"	200	658746305271
STUBBIES — 45°				
ENTSTB45050	1/2" Stubbie, 45°	1/2"	50	658746305288
ENTSTB45075	3/4" Stubbie, 45°	3/4"	50	658746305295
ENTSTB45100	1" Stubbie, 45°	1"	50	658746305301
ENTSTB45125	1-1/4" Stubbie, 45°	1-1/4"	50	658746305318

HDPE Innerduct

MADE IN USA

- Trade Sizes 1", 1-1/4", 1-1/2", 2"
- Prime HDPE Pipe-Grade Resin
- Corrugated Wall – Flexible & Lightweight
- Pre-Installed Pull Tape in Every Size
- Standard Color — Orange
- For Fiber Optic & Communications Cable
- Packaged on Coils or Wood Reels
- Custom Coil & Reel Lengths Available





Trade Size	Part No.	Package	Length	Reel Dims.	Pull Tape
1"	IND100	Coil	250'	—	1,130 lb
	IND100R-750	Wood Reel	750'	36" × 24"	1,130 lb
1-1/4"	IND125	Coil	250'	—	1,130 lb
	IND125R-1000	Wood Reel	1,000'	48" × 32"	1,130 lb
1-1/2"	IND150	Coil	250'	—	1,130 lb
	IND150R-750	Wood Reel	750'	48" × 32"	1,130 lb
2"	IND200	Coil	250'	—	1,130 lb
	IND200R-500	Wood Reel	500'	48" × 32"	1,130 lb

Dimensions & weights: inches; weight is nominal, pounds per foot.

Trade Size	Min. I.D.	Nom. O.D.	Mean Wall	Weight (lbs/ft)
1"	1.00"	1.31"	0.040"	0.0765
1-1/4"	1.25"	1.54"	0.040"	0.1030
1-1/2"	1.57"	1.90"	0.040"	0.1251
2"	2.04"	2.37"	0.040"	0.1754

Plastic & die cast in-use covers, standard and slim



1 Gang Extra Duty Plastic In-Use Covers
2 Gang Extra Duty Plastic In-Use Covers
1 & 2 Gang Plastic Covers
Extra Duty Plastic Slim While-In-Use Covers 11
Extra Duty Metal In-Use Covers

1 Gang Extra Duty Plastic In-Use Covers

c UL us LISTED FILE No. E362580

- UL Extra Duty Listed
- Easy to Install
- Patented Multi-Configuration Design
- Includes Gasket and Mounting Hardware
- 1 Gang Can Be Used Horizontally or Vertically
- NEC Compliant
- Durable Polycarbonate Construction
- Lockable

◆ 18-IN-1 CONFIGURATIONS







FITS GFCI Duplex Switch 6 Rounds

1-1/4" · 1-3/8" · 1-9/16" · 1-5/8" · 1-11/16" · 2-1/8"

See also die cast outlet boxes, pages 17–21; flat covers, pages 14–15.

Item No.	Description	Color	Pkg Qty
1GWIUXD	1-Gang Extra Duty In-Use Cover 18 in 1	Clear/Gray	10
1GWIUXDBZ	1-Gang Extra Duty In-Use Cover 18 in 1	Bronze	10
1GWIUXDGY	1-Gang Extra Duty In-Use Cover 18 in 1	Gray	10
1GWIUXDWH	1-Gang Extra Duty In-Use Cover 18 in 1	White	10
1GWIUXDBK	1-Gang Extra Duty In-Use Cover 18 in 1	Black	10
1GWIUXDB	Deep Base 1-Gang Extra Duty In-Use Cover For Siding 18 in 1	Clear/Gray	8
1GWIUXDP	Extra Deep 1-Gang Extra Duty In-Use Cover 18 in 1	Clear/Gray	6

2 Gang Extra Duty Plastic In-Use Covers

c UL us LISTED FILE No. E362580

- UL Extra Duty Listed
- Easy to Install
- Patented 45 in 1 Multi-Configuration Design
- Includes Gasket and Mounting Hardware
- Durable Polycarbonate Construction
- NEC Compliant
- Lockable

45-IN-1 CONFIGURATIONS





FITS GFCI · Duplex · Switch · 8 Rounds

1-1/4" · 1-3/8" · 1-9/16" · 1-5/8" · 1-11/16" · 2-1/8" · 2-1/4" · 2-7/16"

See also die cast outlet boxes, pages 17–21; flat covers, pages 14–15.

Item No.	Description	Color	Pkg Qty
2GWIUXD	2-Gang Extra Duty In-Use Cover 45 in 1	Clear/Gray	6
2GWIUXDB	Extra Deep Base 2-Gang Extra Duty In-Use Cover 45 in 1	Clear/Gray	4

1 & 2 Gang Plastic Covers

c UL us LISTED FILE No. E362580

- Patented Multi-Configuration Design
- Includes Gasket and Mounting Hardware
- 1 Gang Can Be Used Horizontally or Vertically
- NEC Compliant
- Durable Polycarbonate Construction
- Not Intended for Use with Cover Closed
- Lockable
- Easy to Install

◆ 18-IN-1 & 45-IN-1 CONFIGURATIONS





FITS GFCI Duplex Switch 8 Rounds

1-1/4" · 1-3/8" · 1-9/16" · 1-5/8" · 1-11/16" · 2-1/8" · 2-1/4" · 2-7/16"

See also die cast outlet boxes, pages 17–21; flat covers, pages 14–15.

Item No.	Description	Color	Pkg Qty
1GWIUXDSL	1-Gang Plastic Cover 18 in 1	Clear/Gray	16
2GWIUXDSL	2-Gang Plastic Cover 45 in 1	Clear/Gray	10

Extra Duty Plastic Slim While-In-Use Covers

MASTER CONTRACT 174008

- Can Be Used with GFCI or Duplex Outlets
- Includes Gasket and Mounting Hardware
- Lockable
- NEC Compliant
- Easy to Install
- 15 Amp Rated



See also die cast outlet boxes, pages 17–21; flat covers, pages 14–15.

Item No.	Description	Color	Pkg Qty
1GXDLPV	1 Gang Extra Duty Slim While In Use Cover Vertical	Gray	6
1GXDLPVWH	1 Gang Extra Duty Slim While In Use Cover Vertical	White	6
1GXDLPVBZ	1 Gang Extra Duty Slim While In Use Cover Vertical	Bronze	6
1GXDLPVBK NEW	1 Gang Extra Duty Slim While In Use Cover Vertical	Black	6
1GXDLPH	1 Gang Extra Duty Slim While In Use Cover Horizontal	Gray	5
1GXDLPHWH	1 Gang Extra Duty Slim While In Use Cover Horizontal	White	5
1GXDLPHBZ	1 Gang Extra Duty Slim While In Use Cover Horizontal	Bronze	5

Extra Duty Metal In-Use Covers

FILE No. E362604

- Die Cast Metal Construction
- UL Extra Duty Listed
- Vertical, Horizontal & 2-Gang Configurations
- Lockable — Suitable for Lockout/Tagout (LOTO) Applications
- Includes Gasket and Mounting Hardware
- Powdercoat Finish
- Standard Color — Gray

◆ 7-IN-1 & 32-IN-1 CONFIGURATIONS







FITS GFCI Duplex Switch 6 Rounds

1-3/8" · 1-9/16" · 1-5/8" · 1-11/16" · 2-1/8" · 2-5/8"

See also die cast outlet boxes, pages 17–21; flat covers, pages 14–15.

Item No.	Description	Color	Pkg Qty
1GWIUMV	1-Gang Vertical Extra Duty Metal In-Use Cover 7 in 1	Gray	10
1GWIUMH	1-Gang Horizontal Extra Duty Metal In-Use Cover 7 in 1	Gray	10
2GWIUM	2-Gang Extra Duty Metal In-Use Cover 32 in 1	Gray	10



Boxes, flat & blank covers, extensions, lampholders & fan braces

Metal Flat Covers

Blank Covers

1 Gang Rectangular Outlet Boxes

1 Gang Rectangular Deep Outlet Boxes

2 Gang Rectangular Outlet Boxes

3 Gang & Round Outlet Boxes

Outlet Box Extensions

Lampholder Covers

Lampholders & Metal Closure Plugs

Fan Braces

Metal Flat Covers

c UL us LISTED FILE No. E362604

- Patented Multi-Configuration Design
- Easy to Install
- Die Cast Metal Construction
- NEC Compliant
- Includes Gasket and Mounting Hardware
- Powdercoat Finish

DIE CAST

◆ 7-IN-1 & 10-IN-1 & 25-IN-1 CONFIGURATIONS







FITS GFCI Duplex Switch 2 Rounds

1-1/4" · 1-3/8"

See also outlet boxes these covers close, pages 17–21; extension rings, page 22.

Item No.	Description	Color	Pkg Qty
1GCV	1-Gang Weatherproof Box Cover 10 in 1 Vertical	Gray	20
1GCVBZ	1-Gang Weatherproof Box Cover 10 in 1 Vertical	Bronze	20
1GCVWH	1-Gang Weatherproof Box Cover 10 in 1 Vertical	White	20
1GCVTL	1-G WP Box Cover For Twist Lock, Rounds and Switch 7 in 1 Vertical	Gray	20
1GCH	1-Gang Weatherproof Box Cover 10 in 1 Horizontal	Gray	20
1GCHBZ	1-Gang Weatherproof Box Cover 10 in 1 Horizontal	Bronze	20
1GCHWH	1-Gang Weatherproof Box Cover 10 in 1 Horizontal	White	20
2GC	2-Gang Weatherproof Box Cover 25 in 1	Gray	6
2GCBZ	2-Gang Weatherproof Box Cover 25 in 1	Bronze	6
2GCWH	2-Gang Weatherproof Box Cover 25 in 1	White	6
2GCTL	2-Gang Weatherproof Box Cover for 2-1/8" Dia. 40-50A Receptacle	Gray	6

Metal Flat Covers (cont.)

c UL us LISTED FILE No. E362604

◆ 125-IN-1 CONFIGURATIONS







DIE CAST

See also outlet boxes these covers close, pages 17–21; extension rings, page 22.

Item No.	Description	Color	Pkg Qty
3GC	3-Gang Weatherproof Box Cover 125 in 1	Gray	6
1GCHD	Horizontal Duplex Weatherproof Box Cover	Gray	20
1GCHDBZ	Horizontal Duplex Weatherproof Box Cover	Bronze	20
1GCHDWH	Horizontal Duplex Weatherproof Box Cover	White	20
1GTC	1-Gang Weatherproof Toggle Cover	Gray	10
1GTCBZ	1-Gang Weatherproof Toggle Cover	Bronze	10
1GTCK	1-Gang Weatherproof Toggle Cover Kit with 15A Toggle Switch	Gray	6
2GTC	2-Gang Weatherproof Toggle Cover	Gray	5
2GTCK	2-Gang WP Toggle Cover With 15A Switches	Gray	4

Blank Covers

FILE No. E362604

- Closes 1-, 2- and 3-Gang and Round Weatherproof Boxes
- Die Cast Metal Construction
- Includes Gasket and Mounting Screws
- Powdercoat Finish
- Gray, Bronze and White Finishes
- NEC Compliant






See also outlet boxes, pages 17–21; extension rings, page 22.

Item No.	Description	Color	Pkg Qty
1GBC	1-Gang Blank Cover	Gray	20
1GBCBZ	1-Gang Blank Cover	Bronze	20
1GBCWH	1-Gang Blank Cover	White	20
2GBC	2-Gang Blank Cover	Gray	20
2GBCBZ	2-Gang Blank Cover	Bronze	20
2GBCWH	2-Gang Blank Cover	White	20
3GBC	3-Gang Blank Cover	Gray	5
RBC	Round Blank Cover	Gray	20
RBCBZ	Round Blank Cover	Bronze	20
RBCWH	Round Blank Cover	White	20

1 Gang Rectangular Outlet Boxes

FILE No. E362604

- Device mounting plate attached with screws, not stamped into the box
- Plate is removable and replaceable in the field
- Closure plugs included — one fewer than the number of holes, enough to close every hole but the one in use


1GB350


1GB375


1GB3100


1GB450


1GB475


1GB550


1GB575


1GB550X


1GB575X

See also flat covers, pages 14–15; blank covers, page 16; extension rings, page 22; metal closure plugs, page 24.

Item No.	Description	Color	Pkg Qty
1-GANG THREE HOLE OUTLET BOXES			
1GB350	1-Gang Rectangular Box (3) 1/2" Holes	Gray	16
1GB350BZ	1-Gang Rectangular Box (3) 1/2" Holes	Bronze	16
1GB350WH	1-Gang Rectangular Box (3) 1/2" Holes	White	16
1GB350BK	1-Gang Rectangular Box (3) 1/2" Holes	Black	16
1GB375	1-Gang Rectangular Box (3) 3/4" Holes	Gray	16
1GB375BZ	1-Gang Rectangular Box (3) 3/4" Holes	Bronze	16
1GB375WH	1-Gang Rectangular Box (3) 3/4" Holes	White	16
1GB375BK	1-Gang Rectangular Box (3) 3/4" Holes	Black	16
1GB3100	1-Gang Rectangular Box (3) 1" Holes	Gray	16
1-GANG FOUR HOLE OUTLET BOXES			
1GB450	1-Gang Rectangular Box (4) 1/2" Holes	Gray	16
1GB450BZ	1-Gang Rectangular Box (4) 1/2" Holes	Bronze	16
1GB475	1-Gang Rectangular Box (4) 3/4" Holes	Gray	16
1-GANG FIVE HOLE OUTLET BOXES			
1GB550	1-Gang Rectangular Box (5) 1/2" Holes	Gray	16
1GB575	1-Gang Rectangular Box (5) 3/4" Holes	Gray	16
1GB550X	1-Gang Rectangular Box (5) 1/2" Holes Side Lug	Gray	16
1GB575X	1-Gang Rectangular Box (5) 3/4" Holes Side Lug	Gray	16

1 Gang Rectangular Deep Outlet Boxes

FILE No. E362604

- Device mounting plate attached with screws, not stamped into the box
- Plate is removable and replaceable in the field
- Closure plugs included — one fewer than the number of holes, enough to close every hole but the one in use


1GDB350


1GDB375


1GDB3100


1GDB450


1GDB475


1GDB575X

See also flat covers, pages 14–15; blank covers, page 16; extension rings, page 22; metal closure plugs, page 24.

Item No.	Description	Color	Pkg Qty
1-GANG DEEP THREE HOLE OUTLET BOXES			
1GDB350	1-Gang Rectangular Deep Box (3) 1/2" Holes	Gray	10
1GDB375	1-Gang Rectangular Deep Box (3) 3/4" Holes	Gray	10
1GDB375WH	1-Gang Rectangular Deep Box (3) 3/4" Holes	White	10
1GDB3100	1-Gang Rectangular Deep Box (3) 1" Holes	Gray	10
1-GANG DEEP FOUR HOLE OUTLET BOXES			
1GDB450	1-Gang Deep Box (4) 1/2" Holes	Gray	10
1GDB475	1-Gang Deep Box (4) 3/4" Holes	Gray	10
1GDB575X	1-Gang Deep Box (5) 3/4" Holes Side Lug	Gray	10

2 Gang Rectangular Outlet Boxes

FILE No. E362604

- Device mounting plate attached with screws, not stamped into the box
- Plate is removable and replaceable in the field
- Closure plugs included — one fewer than the number of holes, enough to close every hole but the one in use


2GB350


2GB375


2GB450


2GB475


2GB550


2GB575


2GB550X


2GB575X

See also flat covers, pages 14–15; blank covers, page 16; extension rings, page 22; metal closure plugs, page 24.

Item No.	Description	Color	Pkg Qty
2-GANG THREE HOLE OUTLET BOXES			
2GB350	2-Gang Box (3) 1/2" Holes	Gray	9
2GB350BZ	2-Gang Box (3) 1/2" Holes	Bronze	9
2GB375	2-Gang Box (3) 3/4" Holes	Gray	9
2GB375BZ	2-Gang Box (3) 3/4" Holes	Bronze	9
2GB3100	2-Gang Box (3) 1" Holes	Gray	9
2-GANG FOUR HOLE OUTLET BOXES			
2GB450	2-Gang Box (4) 1/2" Holes	Gray	9
2GB475	2-Gang Box (4) 3/4" Holes	Gray	9
2-GANG FIVE HOLE OUTLET BOXES			
2GB550	2-Gang Box (5) 1/2" Holes	Gray	9
2GB575	2-Gang Box (5) 3/4" Holes	Gray	9
2GB550X	2-Gang Box (5) 1/2" Holes Side Lug	Gray	9
2GB575X	2-Gang Box (5) 3/4" Holes Side Lug	Gray	9
2GB5100X	2-Gang Box (5) 1" Holes Side Lug	Gray	9

2 Gang Rectangular Outlet Boxes (cont.)

c UL us LISTED FILE No. E362604


2GB750


2GB750X


2GB775


2GB775X


2GDB550


2GDB575


2GDB775X


2GDB5100

See also flat covers, pages 14–15; blank covers, page 16; extension rings, page 22; metal closure plugs, page 24.

Item No.	Description	Color	Pkg Qty
2-GANG SEVEN HOLE OUTLET BOXES			
2GB750	2-Gang Box (7) 1/2" Holes	Gray	9
2GB750X	2-Gang Box (7) 1/2" Holes Side Lug	Gray	9
2GB775	2-Gang Box (7) 3/4" Holes	Gray	9
2GB775X	2-Gang Box (7) 3/4" Holes Side Lug	Gray	9
2-GANG DEEP OUTLET BOXES			
2GDB550	2-Gang Deep Box (5) 1/2" Holes	Gray	6
2GDB575	2-Gang Deep Box (5) 3/4" Holes	Gray	6
2GDB775X	2-Gang Deep Box (7) 3/4" Holes Side Lug	Gray	6
2GDB5100	2-Gang Deep Box (5) 1" Holes	Gray	6

3 Gang & Round Outlet Boxes

c UL us LISTED FILE No. E362604

- Screw-attached device mounting plate on the 3-gang boxes
- Plate is removable and replaceable in the field
- Closure plugs included — one fewer than the number of holes, enough to close every hole but the one in use


3GB750


3GB775


3GB7100


RB550


RB575

Cover screws: the round boxes are tapped 10-24 UNC and take a 10-24 × 1/2" screw. RB550 and RB575 are supplied with four aluminum closure plugs; the cover screws are packed with the RBC round cover. **See also** flat covers, pages 14–15; blank covers, page 16; extension rings, page 22; metal closure plugs, page 24.

Item No.	Description	Color	Pkg Qty
3-GANG SEVEN HOLE OUTLET BOXES			
3GB750	3-Gang Box (7) 1/2" Holes	Gray	5
3GB775	3-Gang Box (7) 3/4" Holes	Gray	5
3GB7100	3-Gang Box (7) 1" Holes	Gray	5
FIVE HOLE ROUND OUTLET BOXES			
RB550	Round Box (5) 1/2" Holes	Gray	13
RB550BZ	Round Box (5) 1/2" Holes	Bronze	13
RB550WH	Round Box (5) 1/2" Holes	White	13
RB550BK	Round Box (5) 1/2" Holes	Black	13
RB575	Round Box (5) 3/4" Holes	Gray	13
RB575BZ	Round Box (5) 3/4" Holes	Bronze	13
RB575WH	Round Box (5) 3/4" Holes	White	13
RB575BK	Round Box (5) 3/4" Holes	Black	13

Outlet Box Extensions

c UL us LISTED FILE No. E362604


1GER


1GER450


1GER475


1GER650


1GER675


2GER


RER450


RER475

See also outlet boxes these rings extend, pages 17–21; flat covers, pages 14–15.

Item No.	Description	Color	Pkg Qty
1-GANG EXTENSION RINGS			
1GER	Rectangular Extension Ring No Holes	Gray	8
1GER450	Rectangular Extension Ring (4) 1/2" Holes	Gray	6
1GER475	Rectangular Extension Ring (4) 3/4" Holes	Gray	6
1GER650	Rectangular Extension Ring (6) 1/2" Holes	Gray	6
1GER675	Rectangular Extension Ring (6) 3/4" Holes	Gray	6
2-GANG EXTENSION RINGS			
2GER	2-Gang Extension Ring	Gray	6
2GER650	2-Gang Extension Ring (6) 1/2" Holes	Gray	6
2GER675	2-Gang Extension Ring (6) 3/4" Holes	Gray	6
ROUND EXTENSION RINGS			
RER450	Round Extension Ring (4) 1/2" Holes	Gray	8
RER475	Round Extension Ring (4) 3/4" Holes	Gray	8

Lampholder Covers

c UL us LISTED FILE No. E362597


LHC1H


LHC3H


LHCR1H


LHCR3H

DIE CAST

See also lampholders, page 24; outlet boxes, pages 17–21.

Item No.	Description	Color	Pkg Qty
RECTANGULAR ONE HOLE LAMPHOLDER COVERS			
LHC1H	One 1/2" Hole Rectangular Cover	Gray	15
LHC1HBZ	One 1/2" Hole Rectangular Cover	Bronze	15
LHC1HWH	One 1/2" Hole Rectangular Cover	White	15
RECTANGULAR THREE HOLE LAMPHOLDER COVERS			
LHC3H	Three 1/2" Hole Rectangular Cover	Gray	15
LHC3HBZ	Three 1/2" Hole Rectangular Cover	Bronze	15
LHC3HWH	Three 1/2" Hole Rectangular Cover	White	15
LHC3HBK	Three 1/2" Hole Rectangular Cover	Black	15
ROUND ONE HOLE LAMPHOLDER COVERS			
LHCR1H	One 1/2" Hole Round Cover	Gray	15
LHCR1HBZ	One 1/2" Hole Round Cover	Bronze	15
LHCR1HWH	One 1/2" Hole Round Cover	White	15
ROUND THREE HOLE LAMPHOLDER COVERS			
LHCR3H	Three 1/2" Hole Round Cover	Gray	15
LHCR3HBZ	Three 1/2" Hole Round Cover	Bronze	15
LHCR3HWH	Three 1/2" Hole Round Cover	White	15
LHCR3HBK	Three 1/2" Hole Round Cover	Black	15

Lampholders & Metal Closure Plugs

FILE No. E362597 / E362604



See also lampholder covers, page 23; outlet boxes the plugs close, pages 17–21.


Item No.	Description	Color	Pkg Qty (Pcs)
LAMPHOLDERS			
LH100	Standard Lampholder	Gray	20
LH100BZ	Standard Lampholder	Bronze	20
LH100WH	Standard Lampholder	White	20
METAL CLOSURE PLUGS			
CP50	1/2" Closure Plug, 4 per Bag	Gray	120
CP50BZ	1/2" Closure Plug, 4 per Bag	Bronze	120
CP75	3/4" Closure Plug, 4 per Bag	Gray	120
CP75BZ	3/4" Closure Plug, 4 per Bag	Bronze	120
CP100	1" Closure Plug, 4 per Bag	Gray	120

Fan Braces

c UL us LISTED FILE No. E362604

- cULus listed for fixtures to 150 lbs, fans to 70 lbs
- Adjustable for 16" and 24" joist spacing (150 lb at 16", 90 lb at 24")
- FBNW installs before the ceiling is closed
- FBOW retrofits through an existing opening
- Steel bar, 4" octagon box and mounting hardware included
- Box bar hangers and MC/AC snap-in connectors: see Rough-In Hardware







Item No.	Description	Inner Pack	Std. Pkg	UPC
FAN BRACES – UL FILE E362604				
FBNW	Fan Brace – New Work	12	288 / pallet	658746083063
FBOW	Fan Brace – Old Work	12	288 / pallet	658746083070

Nonmetallic boxes, covers & lampholders

Plastic Weatherproof Outlet Boxes

Plastic Weatherproof Blank Covers

Plastic Weatherproof Device Covers

Plastic Lampholders & Lampholder Covers

Plastic Weatherproof Outlet Boxes

FILE No. E362580







See also plastic blank covers, page 28; plastic device covers, page 29.

Item No.	Description	Color	Pkg Qty
1-GANG PLASTIC THREE HOLE OUTLET BOXES			
P1GB3HUB	1-Gang Plastic Box (3) 3/4" Hubs, 1/2" Reducers	Gray	16
P1GB3HUBWH	1-Gang Plastic Box (3) 3/4" Hubs, 1/2" Reducers	White	16
2-GANG PLASTIC 7 HOLE OUTLET BOXES			
P2GB7HUB	2-Gang Plastic Box (7) 1/2" Hubs	Gray	9
P2GB7HUBWH	2-Gang Plastic Box (7) 1/2" Hubs	White	9
ROUND PLASTIC FIVE HOLE OUTLET BOXES			
PRB5HUB	Round Plastic Box (5) 3/4" Hubs, 1/2" Reducers	Gray	13
PRB5HUBWH	Round Plastic Box (5) 3/4" Hubs, 1/2" Reducers	White	13
PLASTIC CLOSURE PLUGS			
PCP50	1/2" Closure Plug	Gray	100
PCP50WH	1/2" Closure Plug	White	100

Plastic Weatherproof Blank Covers

c UL us LISTED FILE No. E362580





See also plastic outlet boxes, page 27.

Item No.	Description	Color	Pkg Qty
1-GANG PLASTIC BLANK COVERS			
P1GBC	1-Gang Plastic Blank Cover	Gray	20
P1GBCWH	1-Gang Plastic Blank Cover	White	20
ROUND PLASTIC BLANK COVERS			
PRBC	Round Plastic Blank Cover	Gray	20
PRBCWH	Round Plastic Blank Cover	White	20
2-GANG PLASTIC BLANK COVERS			
P2GBC	2-Gang Plastic Blank Cover	Gray	10
P2GBCWH	2-Gang Plastic Blank Cover	White	10

Plastic Weatherproof Device Covers

c UL us LISTED FILE No. E362580






See also plastic outlet boxes, page 27.

Item No.	Description	Color	Pkg Qty
PLASTIC UNIVERSAL COVERS			
P1GC	1-Gang Plastic Universal Cover	Gray	10
P1GCWH	1-Gang Plastic Universal Cover	White	10
P2GC	2-Gang Plastic Universal Cover	Gray	8
P2GCWH	2-Gang Plastic Universal Cover	White	8
1-GANG PLASTIC HORIZONTAL LOCKABLE DUPLEX COVERS			
P1GCHD	1-Gang Plastic Horizontal Lockable Duplex Cover	Gray	20
P1GCHDWH	1-Gang Plastic Horizontal Lockable Duplex Cover	White	20
PLASTIC TOGGLE COVERS			
P1GTC	1-Gang Plastic Toggle Cover	Gray	12
P1GTCWH	1-Gang Plastic Toggle Cover	White	12
P2GTC	2-Gang Plastic Toggle Cover	Gray	8
P2GTCWH	2-Gang Plastic Toggle Cover	White	8
P2GCTG	2-Gang Plastic GFCI/Toggle Combo	Gray	8
P2GCTGWH	2-Gang Plastic GFCI/Toggle Combo	White	8
P2GCTD	2-Gang Plastic Duplex/Toggle Combo	Gray	8
P2GCTDWH	2-Gang Plastic Duplex/Toggle Combo	White	8

Plastic Lampholders & Lampholder Covers

FILE No. E362597





See also plastic outlet boxes, page 27; die cast lampholders, page 24.

Item No.	Description	Color	Pkg Qty
PLASTIC LAMPHOLDERS			
PLH	Plastic Lampholder	Gray	20
PLHWH	Plastic Lampholder	White	20
PLASTIC ROUND LAMPHOLDER COVERS			
PLHCR	1/2" Plastic Three Hole Round Lampholder Cover	Gray	15
PLHCRWH	1/2" Plastic Three Hole Round Lampholder Cover	White	15
PLASTIC RECTANGULAR LAMPHOLDER COVERS			
PLHC	1/2" Plastic Three Hole Rectangular Lampholder Cover	Gray	15
PLHCWH	1/2" Plastic Three Hole Rectangular Lampholder Cover	White	15



Nonmetallic & zinc straight, 90° & multi-angle

Nonmetallic Liquid Tight Straight Conduit Connectors

Nonmetallic Liquid Tight 90° Conduit Connectors

Nonmetallic Liquid Tight Screw-On Conduit Connectors

Nonmetallic LT Multi-Angle Conduit Connectors

Metallic Liquid Tight Straight Conduit Connectors


Metallic Liquid Tight 90° Conduit Connectors

Nonmetallic Liquid Tight Straight Conduit Connectors

FILE No. E197675

- Available 1/4" through 2"
- All nylon construction resists salt water, weak acids, gasoline, alcohol, oil, grease & common solvents
- No disassembly required – the installer simply pushes the conduit or tubing onto the ferrule, tightening the domed sealing nut. The completed assembly is then secured in the chassis by the locknut
- No threading of the conduit or tubing required to install, eliminating the possibility of cutting the conduit & creating leak paths
- Standard color — Black or Gray





A overall length · **B** thread length · **C** body diameter. Nominal, in inches.


Part No. (Gray)	Part No. (Black)	Trade Size	K.O. Size	Std. Pkg.	Wt/Pkg (lbs)	A	B	C
—	8398AB	1/4"	PG7	100	4	1.750	0.440	1.062
8401	8400	3/8"	1/2"	25/100	5	2.000	0.540	1.400
8403	8402	1/2"	1/2"	25/100	5	2.000	0.540	1.400
8405	8404	3/4"	3/4"	10/100	7	2.200	0.635	1.700
8407	8406	1"	1"	5/50	7	2.280	0.740	2.000
8409	8408	1-1/4"	1-1/4"	5/25	5	2.440	0.760	2.400
8411	8410	1-1/2"	1-1/2"	2/10	3	2.700	0.800	2.670
8413	8412	2"	2"	2/10	4	2.990	0.850	3.280

Nonmetallic Liquid Tight 90° Conduit Connectors

c UL us LISTED FILE No. E197675

- Complete conduit/connector system is reusable. Conduit will not wind tight onto the connector during assembly & can be easily removed by pulling while turning in a clockwise direction
- Suitable for indoor/outdoor use; for original equipment manufacturers or field installers
- Lower installed cost
- Molded of type 6 nylon. Flammability classification 94V-2; temperature index 125° C





A overall height · **B** thread length · **C** overall reach. Nominal, in inches.


Part No. (Gray)	Part No. (Black)	Trade Size	K.O. Size	Std. Pkg.	Wt/Pkg (lbs)	A	B	C
8416	8415	3/8"	1/2"	10/100	5	2.120	0.500	3.120
8418	8417	1/2"	1/2"	10/100	5	2.120	0.500	3.120
8420	8419	3/4"	3/4"	10/100	10	2.500	0.520	3.600
8422	8421	1"	1"	5/50	8	3.125	0.700	4.125
8424	8423	1-1/4"	1-1/4"	5/25	7	4.450	0.760	5.200
8426	8425	1-1/2"	1-1/2"	2/10	4	4.750	0.800	5.200
8428	8427	2"	2"	2/10	5	5.420	0.860	5.800

Nonmetallic Liquid Tight Screw-On Conduit Connectors

FILE No. E197675

- Available in 1/2" & 3/4" trade size
- PVC construction produced from UV rated material for long outdoor life
- Attractive one-piece design
- No disassembly required; simply screw the connector onto the conduit
- Time & cost saving benefits over other brands
- Design allows superior liquid-tight seal & optimum pull strength without compression nut
- Patented design





A overall length, or height on the 90° sweep · **B** thread length · **C** body diameter, or reach on the 90° sweep. Nominal, in inches.


Part No.	Description	Trade Size	K.O. Size	Std. Pkg.	Wt/Pkg (lbs)	A	B	C
8503	Straight Screw On	1/2"	1/2"	25/100	5	1.750	0.500	1.250
8505	Straight Screw On	3/4"	3/4"	25/100	7	1.800	0.625	1.500
8518	90° Sweep Screw On	1/2"	1/2"	10/100	7	1.875	0.500	3.125
8520	90° Sweep Screw On	3/4"	3/4"	10/100	9	2.375	0.625	3.500

Nonmetallic LT Multi-Angle Conduit Connectors

FILE No. E197675

- Available in 1/2" and 3/4" trade sizes
- All nylon construction resists salt water, weak acids, gasoline, alcohol, oil, grease and common solvents
- No disassembly required – the installer simply pushes the conduit or tubing onto the ferrule, tightening the domed sealing nut. The completed assembly is then secured in the chassis by the locknut
- Standard color — Black or Gray
- Reduces inventory – the swivel design can be substituted for a Straight or 90° connector
- Molded of type 6 nylon. Flammability classification 94V-2; temperature index 125°C
- Suitable for indoor/outdoor use
- “O” Ring and steel locknut included
- Patented design





1A / 2A overall height · **1B / 2B** overall width · **1C / 2C** thread length, in the two hub positions shown. Nominal, in inches.


Part No.	Color	Trade Size	K.O. Size	Std. Pkg.	Wt/Pkg (lbs)	1A	1B	1C	2A	2B	2C
8618	Gray	1/2"	1/2"	100	7	3.350"	2.15"	0.500"	3.025"	2.395"	0.500"
8620	Gray	3/4"	3/4"	100	7	4.30"	2.65"	0.520"	3.850"	3.350"	0.520"
8617	Black	1/2"	1/2"	100	7	3.350"	2.15"	0.500"	3.025"	2.395"	0.500"
8619	Black	3/4"	3/4"	100	7	4.30"	2.65"	0.520"	3.850"	3.350"	0.520"

Metallic Liquid Tight Straight Conduit Connectors

FILE No. E197675

- Available 3/8" through 4"
- For use with both Metallic Liquid Tight Conduit and Nonmetallic Liquid Tight Type B
- Zinc die cast construction resists salt water, weak acids, gasoline, alcohol, oil, grease & common solvents
- Resistant to outdoor weather conditions
- No disassembly required – the installer simply twists the conduit or tubing onto the ferrule, tightening the domed sealing nut
- Suitable for indoor/outdoor use; for original equipment manufacturers or field installers
- “O” Ring & zinc locknut included





A overall length · **B** body diameter · **C** thread length. Nominal, in inches.


Part No.	Trade Size	K.O. Size	Std. Pkg.	Wt/Pkg (lbs)	A	B	C
8701	3/8"	1/2"	100	18	1.58"	1.18"	0.53"
8703	1/2"	1/2"	100	18	1.58"	1.18"	0.53"
8705	3/4"	3/4"	100	23	1.69"	1.57"	0.58"
8707	1"	1"	25	10	2.06"	1.81"	0.58"
8709	1-1/4"	1-1/4"	25	15	2.06"	2.18"	0.61"
8711	1-1/2"	1-1/2"	10	7.5	2.09"	2.51"	0.63"
8713	2"	2"	10	12	2.15"	3.03"	0.63"
8729	2-1/2"	2-1/2"	5	7.5	3.54"	3.68"	1.02"
8731	3"	3"	1	2	4.04"	4.38"	1.07"
8735	4"	4"	1	4	4.99"	5.54"	1.15"

Metallic Liquid Tight 90° Conduit Connectors

c UL us LISTED FILE No. E197675

- Available 3/8" through 4"
- For use with both Metallic Liquid Tight Conduit and Nonmetallic Liquid Tight Type B
- Zinc die cast construction resists salt water, weak acids, gasoline, alcohol, oil, grease & common solvents
- 90° body turns the run tight to the enclosure
- Resistant to outdoor weather conditions
- No disassembly required – the installer simply twists the conduit or tubing onto the ferrule, tightening the domed sealing nut
- Suitable for indoor/outdoor use; for original equipment manufacturers or field installers
- “O” Ring & zinc locknut included





A overall height · **B** overall reach · **C** thread length. Nominal, in inches.

Part No.	Trade Size	K.O. Size	Std. Pkg.	Wt/Pkg (lbs)	A	B	C
8716	3/8"	1/2"	100	27	2.11"	2.53"	0.53"
8718	1/2"	1/2"	100	28	2.24"	2.46"	0.53"
8720	3/4"	3/4"	100	38	2.47"	2.79"	0.55"
8722	1"	1"	25	16	3.46"	3.86"	0.58"
8724	1-1/4"	1-1/4"	25	25	3.37"	3.99"	0.67"
8726	1-1/2"	1-1/2"	10	13	4.28"	5.04"	0.61"
8728	2"	2"	10	19	4.21"	5.06"	0.71"
8730	2-1/2"	2-1/2"	1	4	5.75"	7.00"	1.03"
8732	3"	3"	1	5	6.00"	7.25"	0.99"
8736	4"	4"	1	7	8.75"	10.00"	1.17"

LB / LC / LL / LR / LT / SLB series



LB / LC / LL Series

LR / LT / SLB Series

Conduit Bodies — LB / LC / LL Series

FILE No. E362604

- Aluminum Die Cast Construction
- Threaded Hubs — No Set Screws, Cement or Couplings Needed
- Steel Cover and Gasket Included
- Access for Pulling, Splicing and Changing Direction of a Run
- Available 1/2" through 4" (SLB through 2")
- Standard Color — Gray



LB Series



LC Series



LL Series

Item No.	Trade Size	Color	Inner Pkg	Outer Pkg	UPC
LB SERIES — THREADED CONDUIT BODIES W/ STEEL COVER & GASKET					
LB050	1/2"	Gray	10	100	658746357911
LB075	3/4"	Gray	10	50	658746357928
LB100	1"	Gray	5	25	658746357935
LB125	1-1/4"	Gray	2	10	658746357942
LB150	1-1/2"	Gray	2	10	658746357959
LB200	2"	Gray	—	5	658746357966
LB250	2-1/2"	Gray	—	1	658746357973
LB300	3"	Gray	—	1	658746357980
LB350	3-1/2"	Gray	—	1	658746357997
LB400	4"	Gray	—	1	658746358000
LC SERIES — THREADED CONDUIT BODIES W/ STEEL COVER & GASKET					
LC050	1/2"	Gray	10	100	658746358017
LC075	3/4"	Gray	10	50	658746358024
LC100	1"	Gray	5	25	658746358031
LC125	1-1/4"	Gray	2	10	658746358048
LC150	1-1/2"	Gray	2	10	658746358055
LC200	2"	Gray	—	5	658746358062
LC250	2-1/2"	Gray	—	1	658746358079
LC300	3"	Gray	—	1	658746358086
LC350	3-1/2"	Gray	—	1	658746358093
LC400	4"	Gray	—	1	658746358109
LL SERIES — THREADED CONDUIT BODIES W/ STEEL COVER & GASKET					
LL050	1/2"	Gray	10	100	658746358116
LL075	3/4"	Gray	10	50	658746358123
LL100	1"	Gray	5	25	658746358130
LL125	1-1/4"	Gray	2	10	658746358147
LL150	1-1/2"	Gray	2	10	658746358154
LL200	2"	Gray	—	5	658746358161
LL250	2-1/2"	Gray	—	1	658746358178
LL300	3"	Gray	—	1	658746358185
LL350	3-1/2"	Gray	—	1	658746358192
LL400	4"	Gray	—	1	658746358208

Conduit Bodies — LR / LT / SLB Series

FILE No. E362604 / E197675


- Aluminum Die Cast Construction
- Threaded Hubs — No Set Screws, Cement or Couplings Needed
- Steel Cover and Gasket Included
- Access for Pulling, Splicing and Changing Direction of a Run
- Available 1/2" through 4" (SLB through 2")
- Standard Color — Gray



LR Series



LT Series



SLB Series

Item No.	Trade Size	Color	Inner Pkg	Outer Pkg	UPC
LR SERIES — THREADED CONDUIT BODIES W/ STEEL COVER & GASKET					
LR050	1/2"	Gray	10	100	658746357812
LR075	3/4"	Gray	10	50	658746357829
LR100	1"	Gray	5	25	658746357836
LR125	1-1/4"	Gray	2	10	658746357843
LR150	1-1/2"	Gray	2	10	658746357850
LR200	2"	Gray	—	5	658746357867
LR250	2-1/2"	Gray	—	1	658746357874
LR300	3"	Gray	—	1	658746357881
LR350	3-1/2"	Gray	—	1	658746357898
LR400	4"	Gray	—	1	658746357904
LT SERIES — THREADED CONDUIT BODIES W/ STEEL COVER & GASKET					
LT050	1/2"	Gray	10	100	658746358215
LT075	3/4"	Gray	10	50	658746358222
LT100	1"	Gray	5	25	658746358239
LT125	1-1/4"	Gray	2	10	658746358246
LT150	1-1/2"	Gray	2	10	658746358253
LT200	2"	Gray	—	5	658746358260
LT250	2-1/2"	Gray	—	1	658746358277
LT300	3"	Gray	—	1	658746358284
LT350	3-1/2"	Gray	—	1	658746358291
LT400	4"	Gray	—	1	658746358307
SLB SERIES — THREADED CONDUIT BODIES W/ STEEL COVER & GASKET — UL FILE E197675					
SLB050	1/2"	Gray	—	10	658746358314
SLB075	3/4"	Gray	—	5	658746358321
SLB100	1"	Gray	—	3	658746358338
SLB125	1-1/4"	Gray	—	2	658746358345
SLB150	1-1/2"	Gray	—	2	658746358352
SLB200	2"	Gray	—	2	658746358369



Box bar hangers (nail gun brackets) & snap-in connectors for MC/AC cable — the add-ons that round out an order

Box Bar Hangers & MC/AC Snap-In Connectors

Box Bar Hangers & MC/AC Snap-In Connectors

c UL us LISTED FILE No. E556962

- Nail gun brackets: adjustable zinc-plated steel bar hangers - mount a box between studs with a screw gun
- Telescoping bar locks the box anywhere along its length; 16" and 24" o.c. framing
- MC/AC snap-in connectors: zinc die cast, push into a 1/2" KO and lock - no locknut, no tools
- For AC, MC and flexible metal conduit; cULus listed, File E556962
- Case-pack quantities sized to ship with boxes and covers
- Imported; stocked in Elizabeth, NJ







Item No.	Description	Inner Pack	Std. Pkg	UPC
STEEL BOX BAR HANGERS (NAIL GUN BRACKETS) – ZINC PLATED				
SGB16 NEW	16” Steel Box Bar Hanger, 16” o.c. framing		50	658746888026
SGB24 NEW	24” Steel Box Bar Hanger, 24” o.c. framing		50	658746888033
MC/AC SNAP-IN CONNECTORS – 1/2” KO, UL FILE E556962				
SIC050-1 NEW	1/2” KO Snap-In Connector, Single, Zinc Die Cast	50	500	658746888002
SIC050-2 NEW	1/2” KO Snap-In Connector, Duplex, Zinc Die Cast	50	250	658746888019

How to order, carton weights & UPC codes

Order by the item number shown on the product page. Include the item number, description, color and quantity on the purchase order. Carton and pallet quantities are given on each page and in the reference tables that follow.

Contact your local Sealproof representative for ordering, or contact orders@superflex.com.

orders@superflex.com
(800) 394-3665 · (718) 768-5065

All dimensions are in inches and all weights in pounds unless otherwise noted. Dimensions are nominal and given for reference only; consult the factory where a dimension is critical. Specifications, dimensions and packaging are subject to change without notice.

The UL file number, CSA certification or IAPMO approval that applies to a product is printed on the page that lists it. Copies of listing documents are available on request. Products must be installed in accordance with the National Electrical Code and all applicable local codes.

Weights & UPC Reference

Blank cell = not applicable, or data not yet published. Inner pack is listed only where the item ships in inner cartons. Carton and piece weights for the ENT, ENT fitting and HDPE innerduct lines are being taken and will be published in the next revision.

Item No.	Page	Inner Pack	Outer Pack	Wt/Ctn (lbs)	Wt/Pc (lbs)	UPC
ENT050	4					658746305004
ENT050R-1500	4					658746305011
ENT050-10	4					658746305028
ENT075	4					658746305035
ENT075R-1000	4					658746305042
ENT075-10	4					658746305059
ENT100	4					658746305066
ENT100R-750	4					658746305073
ENT100-10	4					658746305080
ENT125R-1000	4					658746305103
ENT150R-750	4					658746305127
ENT200R-500	4					658746305141
IND100	6					658746305325
IND100R-750	6					658746305332
IND125	6					658746305349
IND125R-1000	6					658746305356
IND150	6					658746305363
IND150R-750	6					658746305370
IND200	6					658746305387
IND200R-500	6					658746305394
ENTADPLN050	5		150			658746305158
ENTADPLN075	5		100			658746305165
ENTADPLN100	5		50			658746305172
ENTADPSN050	5		150			658746305189
ENTADPSN075	5		100			658746305196
ENTADPSN100	5		50			658746305202
ENTCPL050	5		150			658746305219
ENTCPL075	5		100			658746305226
ENTCPL100	5		50			658746305233
ENTSTBST050	5		150			658746305240
ENTSTBST075	5		150			658746305257
ENTSTBST100	5		200			658746305264
ENTSTBST125	5		200			658746305271
ENTSTB45050	5		50			658746305288

Weights & UPC Reference (cont.)

Blank cell = not applicable, or data not yet published. Inner pack is listed only where the item ships in inner cartons.

Item No.	Page	Inner Pack	Outer Pack	Wt/Ctn (lbs)	Wt/Pc (lbs)	UPC
ENTSTB45075	5		50			658746305295
ENTSTB45100	5		50			658746305301
ENTSTB45125	5		50			658746305318
LB050	39	10	100	28.9	0.3	658746357911
LB075	39	10	50	20.5	0.4	658746357928
LB100	39	5	25	14.4	0.5	658746357935
LB125	39	2	10	13.7	1.3	658746357942
LB150	39	2	10	13.5	1.2	658746357959
LB200	39		5	9.6	1.7	658746357966
LB250	39		1	4.4	3.3	658746357973
LB300	39		1	4.7	3.6	658746357980
LB350	39		1	8.8	7.7	658746357997
LB400	39		1	8.0	6.9	658746358000
LC050	39	10	100	27.4	0.3	658746358017
LC075	39	10	50	19.5	0.4	658746358024
LC100	39	5	25	11.8	0.4	658746358031
LC125	39	2	10	12.0	1.1	658746358048
LC150	39	2	10	11.9	1.1	658746358055
LC200	39		5	10.4	1.9	658746358062
LC250	39		1	4.3	3.2	658746358079
LC300	39		1	4.4	3.3	658746358086
LC350	39		1	8.5	7.4	658746358093
LC400	39		1	8.0	6.9	658746358109
LL050	39	10	100	30.1	0.3	658746358116
LL075	39	10	50	17.6	0.3	658746358123
LL100	39	5	25	14.7	0.5	658746358130
LL125	39	2	10	13.1	1.2	658746358147
LL150	39	2	10	12.2	1.1	658746358154
LL200	39		5	11.8	2.1	658746358161
LL250	39		1	4.5	3.4	658746358178
LL300	39		1	4.8	3.7	658746358185
LL350	39		1	8.7	7.6	658746358192
LL400	39		1	8.2	7.1	658746358208
LR050	40	10	100	30.4	0.3	658746357812

Weights & UPC Reference (cont.)

Blank cell = not applicable, or data not yet published. Inner pack is listed only where the item ships in inner cartons.

Item No.	Page	Inner Pack	Outer Pack	Wt/Ctn (lbs)	Wt/Pc (lbs)	UPC
LR075	40	10	50	20.8	0.4	658746357829
LR100	40	5	25	14.7	0.5	658746357836
LR125	40	2	10	13.3	1.2	658746357843
LR150	40	2	10	13.2	1.2	658746357850
LR200	40		5	12.0	2.2	658746357867
LR250	40		1	4.5	3.4	658746357874
LR300	40		1	4.7	3.6	658746357881
LR350	40		1	8.6	7.5	658746357898
LR400	40		1	8.2	7.1	658746357904
LT050	40	10	100	31.3	0.3	658746358215
LT075	40	10	50	21.5	0.4	658746358222
LT100	40	5	25	15.7	0.6	658746358239
LT125	40	2	10	13.0	1.2	658746358246
LT150	40	2	10	13.2	1.2	658746358253
LT200	40		5	11.6	2.1	658746358260
LT250	40		1	4.7	3.6	658746358277
LT300	40		1	5.1	4.0	658746358284
LT350	40		1	9.4	8.3	658746358291
LT400	40		1	8.8	7.7	658746358307
SLB050	40		10	1.9	0.1	658746358314
SLB075	40		5	1.3	0.2	658746358321
SLB100	40		3	1.5	0.4	658746358338
SLB125	40		2	1.7	0.7	658746358345
SLB150	40		2	2.1	0.8	658746358352
SLB200	40		2	2.8	1.2	658746358369
1GB3100	17		16	9.9	0.5	658746110820
1GB350	17		16	7.8	0.4	658746110837
1GB350BK	17		16	7.8	0.4	658746110851
1GB350BZ	17		16	7.8	0.4	658746110844
1GB350WH	17		16	7.8	0.4	658746112114
1GB375	17		16	8.1	0.4	658746110868
1GB375BK	17		16	8.1	0.4	658746112718
1GB375BZ	17		16	8.1	0.4	658746112688
1GB375WH	17		16	8.1	0.4	658746112695

Weights & UPC Reference (cont.)

Blank cell = not applicable, or data not yet published. Inner pack is listed only where the item ships in inner cartons.

Item No.	Page	Inner Pack	Outer Pack	Wt/Ctn (lbs)	Wt/Pc (lbs)	UPC
1GB450	17		16	8.2	0.4	658746110875
1GB450BZ	17		16	8.2	0.4	658746112701
1GB475	17		16	8.4	0.5	658746110882
1GB550	17		16	8.7	0.5	658746110899
1GB550X	17		16	8.4	0.5	658746110905
1GB575	17		16	8.9	0.5	658746110912
1GB575X	17		16	8.6	0.5	658746112312
1GBC	16		20	3.3	0.1	658746110011
1GBCBZ	16		20	3.4	0.1	658746110028
1GBCWH	16		20	3.4	0.1	658746110035
1GCH	14		20	7.0	0.3	658746110684
1GCHBZ	14		20	7.0	0.3	658746110691
1GCHWH	14		20	7.0	0.3	658746110677
1GCHD	15		20	3.8	0.2	658746111193
1GCHDBZ	15		20	3.8	0.2	658746111209
1GCHDWH	15		20	3.8	0.2	658746111216
1GCV	14		20	7.0	0.3	658746110653
1GCVBZ	14		20	7.0	0.3	658746110660
1GCVWH	14		20	7.0	0.3	658746110646
1GCVTL	14		20	6.3	0.3	658746111650
1GDB350	18		10	6.6	0.6	658746110929
1GDB375	18		10	7.5	0.6	658746110936
1GDB3100	18		10	8.6	0.8	658746231143
1GDB375WH	18		10	7.3	0.7	658746110974
1GDB450	18		10	7.6	0.7	658746112862
1GDB475	18		10	6.4	0.5	658746112879
1GDB575X	18		10	7.5	0.7	658746235615
1GER	22		8	1.8	0.2	658746111827
1GER450	22		6	3.7	0.4	658746110943
1GER475	22		6	3.5	0.4	658746112305
1GER650	22		6	3.6	0.5	658746110950
1GER675	22		6	3.4	0.5	658746110967
1GTC	15		10	2.2	0.2	658746112077
1GTCBZ	15		10	2.2	0.2	658746114187

Weights & UPC Reference (cont.)

Blank cell = not applicable, or data not yet published. Inner pack is listed only where the item ships in inner cartons.

Item No.	Page	Inner Pack	Outer Pack	Wt/Ctn (lbs)	Wt/Pc (lbs)	UPC
1GTCK	15		6	2.2	0.3	658746114194
1GWIUMH	12		10	11.1	1.1	658746042473
1GWIUMV	12		10	11.1	1.1	658746042480
1GWIUXD	8		10	5.5	0.5	658746042459
1GWIUXDBK	8		10	5.5	0.5	658746042763
1GWIUXDB	8		8	4.6	.53	658746042565
1GWIUXDBZ	8		10	5.5	0.5	658746042664
1GWIUXDGY	8		10	5.5	0.5	658746042756
1GWIUXDP	8		6	3.6	0.6	658746042503
1GWIUXDSL	10		16	10.8	0.6	658746042510
1GWIUXDWH	8		10	5.5	0.5	658746042657
2GB350	19		9	6.5	0.7	658746110110
2GB350BZ	19		9	6.5	0.7	658746114200
2GB375	19		9	6.9	0.7	658746110127
2GB375BZ	19		9	6.9	0.7	658746991191
2GB3100	19		9	9.3	0.9	658746231150
2GB450	19		9	6.9	0.7	658746112244
2GB475	19		9	7.0	0.7	658746112251
2GB5100X	19		9	8.6	0.9	658746231167
2GB550	19		9	7.0	0.7	658746110141
2GB550X	19		9	7.7	0.8	658746112275
2GB575	19		9	7.7	0.7	658746110158
2GB575X	19		9	8.1	0.8	658746112282
2GB750	20		9	5.5	0.8	658746110165
2GB750X	20		9	7.6	0.7	658746112299
2GB775	20		9	8.6	0.9	658746110172
2GB775X	20		9	8.2	0.8	658746110189
2GBC	16		20	5.6	0.3	658746110042
2GBCBZ	16		20	5.8	0.3	658746110240
2GBCWH	16		20	5.8	0.3	658746110349
2GC	14		6	9.7	0.8	658746110714
2GCBZ	14		6	9.7	0.8	658746110721
2GCWH	14		6	9.7	0.8	658746110738
2GCTL	14		6	4.0	0.6	658746114224

Weights & UPC Reference (cont.)

Blank cell = not applicable, or data not yet published. Inner pack is listed only where the item ships in inner cartons.

Item No.	Page	Inner Pack	Outer Pack	Wt/Ctn (lbs)	Wt/Pc (lbs)	UPC
2GDB5100	20		6	6.6	1.0	658746231181
2GDB550	20		6	6.5	1.1	658746235622
2GDB575	20		6	6.3	0.9	658746100333
2GDB775X	20		6	7.3	1.1	658746231174
2GER	22		6	2.1	0.2	658746112091
2GER650	22		6	4.9	0.6	658746111087
2GER675	22		6	4.9	0.6	658746111094
2GTC	15		5	1.9	0.3	658746112084
2GTCK	15		4	1.9	0.6	658746114231
2GWIUM	12		10	17.2	2.8	658746042497
2GWIUXD	9		6	5.3	0.8	658746042466
2GWIUXDB	9		4	4.1	.90	658746043517
2GWIUXDSL	10		10	6.9	.65	658746043524
3GB7100	21		5	7.9	1.5	658746112626
3GB750	21		5	7.5	1.2	658746112640
3GB775	21		5	7.4	1.3	658746112633
3GBC	16		5	7.7	1.4	658746112602
3GC	15		6	3.3	0.4	658746112619
CP100	24		120	2.3	0.0	658746112237
CP50	24		120	1.1	0.0	658746110073
CP50BZ	24		120	1.1	0.0	658746114248
CP75	24		120	1.4	0.0	658746110103
CP75BZ	24		120	1.4	0.0	658746114255
LH100	24		20	6.3	0.3	658746110301
LH100BZ	24		20	6.3	0.3	658746110318
LH100WH	24		20	6.3	0.3	658746112138
LHC1H	23		15	2.5	0.1	658746111438
LHC1HBZ	23		15	2.6	0.1	658746111445
LHC1HWH	23		15	2.6	0.1	658746110448
LHC3H	23		15	2.8	0.2	658746110455
LHC3HBK	23		15	2.8	0.2	658746112190
LHC3HBZ	23		15	2.7	0.2	658746110462
LHC3HWH	23		15	2.8	0.2	658746112176
LHCR1H	23		15	2.8	0.2	658746111490

Weights & UPC Reference (cont.)

Blank cell = not applicable, or data not yet published. Inner pack is listed only where the item ships in inner cartons.

Item No.	Page	Inner Pack	Outer Pack	Wt/Ctn (lbs)	Wt/Pc (lbs)	UPC
LHCR1HBZ	23		15	2.8	0.2	658746111506
LHCR1HWH	23		15	2.8	0.2	658746111537
LHCR3H	23		15	2.8	0.1	658746110516
LHCR3HBK	23		15	2.8	0.1	658746112213
LHCR3HBZ	23		15	2.8	0.1	658746110523
LHCR3HWH	23		15	2.8	0.1	658746112183
RBC	16		20	3.6	0.1	658746110059
RBCBZ	16		20	3.6	0.1	658746110066
RBCWH	16		20	3.6	0.1	658746110080
RB550	21		13	5.8	0.4	658746110776
RB550BK	21		13	5.8	0.4	658746112220
RB550BZ	21		13	5.8	0.4	658746110783
RB550WH	21		13	5.8	0.4	658746112206
RB575	21		13	7.1	0.5	658746110806
RB575BK	21		13	7.1	0.5	658746235660
RB575BZ	21		13	7.1	0.5	658746235639
RB575WH	21		13	7.1	0.5	658746235646
RER450	22		8	3.8	0.4	658746110813
RER475	22		8	4.2	0.5	658746235653
1GXDLPV	11		6	3.1	0.4	658746235493
1GXDLPVWH	11		6	3.1	0.4	658746235509
1GXDLPVBZ	11		6	3.1	0.4	658746235516
1GXDLPVBK	11		6	3.1	0.4	658746235523
1GXDLPH	11		5	2.7	0.4	658746235554
1GXDLPHWH	11		5	2.7	0.4	658746235561
1GXDLPHBZ	11		5	2.7	0.4	658746235578
FBNW	25		12	26	2.2	658746083063
P1GB3HUB	27		16	6.6	0.37	658746082721
P1GB3HUBWH	27		16	6.4	0.36	658746082738
P1GBC	28		20	2.1	0.09	658746082745
P1GBCWH	28		20	2.1	0.09	658746082752
P1GCHD	29		20	2.8	0.11	658746082769
P1GCHDWH	29		20	2.8	0.11	658746082776

Weights & UPC Reference (cont.)

Blank cell = not applicable, or data not yet published. Inner pack is listed only where the item ships in inner cartons.

Item No.	Page	Inner Pack	Outer Pack	Wt/Ctn (lbs)	Wt/Pc (lbs)	UPC
P1GC	29		10	1.9	0.17	658746082783
P1GCWH	29		10	1.9	0.17	658746082790
P1GTC	29		12	2.6	0.17	658746082806
P1GTCWH	29		12	2.6	0.17	658746082813
P2GB7HUB	27		9	5.2	0.48	658746082820
P2GB7HUBWH	27		9	5.2	0.48	658746082837
P2GBC	28		10	1.9	0.17	658746082844
P2GBCWH	28		10	1.9	0.17	658746082851
P2GCTD	29		8	3.0	0.31	658746082868
P2GCTDWH	29		8	3.0	0.31	658746082875
P2GCTG	29		8	3.0	0.31	658746082882
P2GCTGWH	29		8	3.0	0.31	658746082899
P2GC	29		8	2.2	0.22	658746082905
P2GCWH	29		8	2.2	0.22	658746082912
P2GTC	29		8	2.5	0.25	658746082929
P2GTCWH	29		8	2.5	0.25	658746082936
PCP50	27		100	0.3	0.00	658746082943
PCP50WH	27		100	0.3	0.00	658746082950
PLH	30		20	4.6	0.21	658746082967
PLHWH	30		20	4.6	0.21	658746082974
PLHC	30		15	1.9	0.09	658746082981
PLHCWH	30		15	1.9	0.09	658746082998
PRB5HUB	27		13			658746083025
PRB5HUBWH	27		13			658746083032
PRBC	28		20			658746083049
PRBCWH	28		20			658746083056
PLHCR	30		15			658746083001
PLHCRWH	30		15			658746083018
FBOW	25		12			658746083070
SGB16	42		50	22.9	0.5	658746888026
SGB24	42		50	32.1	0.6	658746888033
SIC050-1	42	50	500	26.6	0.1	658746888002
SIC050-2	42	50	250	28.0	0.1	658746888019

ABOUT

Superflex Ltd. is a New Jersey based company engaged in the manufacturing of flexible spiral reinforced hoses and electrical conduit. Since its founding in 1981, Superflex has grown into a leading force in the electrical and hose industries, with products used across the electrical, marine, aquatic, agricultural, recreational-vehicle and industrial sectors.

The SEALPROOF® Weatherproof line is engineered and stocked in Elizabeth, NJ, and maintains the same high quality standards Superflex has upheld since 1981 — with products listed or recognized by UL, certified by CSA, and approved by IAPMO.

TEL

FAX

ADDRESS

ORDERS

SALES

WEB

A BRAND OF

© 2026 Superflex Ltd. All rights reserved. SEALPROOF® is a registered trademark of Superflex Ltd. Specifications, dimensions and packaging are subject to change without notice. All dimensions are in inches and all weights in pounds unless otherwise noted. Dimensions are nominal and provided for reference only; consult the factory where they are critical. Products must be installed in accordance with the National Electrical Code and all applicable local codes. Rev. 2026 · 11/26.